NO. 4987 P. 5

Appln. No. 10/677,296 Supplemental Amendment dated April 12, 2006

Amendments to the Claims

This listing of claims will replace all prior versions, and listings, of claims in the application:
Listing of Claims:

1. (Currently Amended) An entertainment device comprising

an elongated connector having a first end and a second end,

a ring at said first end and a rotatable element at the said second end of the elongated connector.

said rotatable element at the second end of the elongated connector being adapted to rotate along a surface upon which the user is standing or hopping,

wherein the elongated connector is rotatable relative to said ring, and

said elongated and rotatable connector is further provided with a configuration whereby different appearances occur as said elongated connector rotates relative to said ring; and

wherein said elongated connector is a flattened and twisted element.

Claims 2-3 (Cancelled).

- (Original) The device of claim 1, wherein said elongated connector is formed of a translucent or transparent plastic and contains one or both of a fluorescent dye and decorative flakes or particles.
- 5. (Currently Amended) An entertainment device comprising an elongated connector having a first end and a second end, a ring at said first end and a rotatable element at the said second end of the elongated connector,

wherein the elongated connector is rotatable relative to said ring, and

said elongated and rotatable connector is further provided with a configuration whereby different appearances occur as said elongated connector rotates relative to said ring;

wherein said elongated connection is a flattened and twisted element; and

The device of claim-1, wherein said elongated connector is formed of an opaque plastic and is provided with a different color on opposite faces thereof.

- 6. (Original) The device of claim 5 wherein said elongated connector is formed of polycarbonate resin.
- 7. (Original) The device of claim 4 wherein said elongated connector is formed of polycarbonate resin.

Claims 8-9 (Cancelled).

- 10. (Original) The device of claim 1 wherein said elongated connector is formed of polycarbonate resin.
- comprising

 ______an elongated connector having a first end and a second end,

 _____a ring at said first end and a rotatable element at the said second end of the elongated connector, wherein the elongated connector is rotatable

relative to said ring;
said elongated and rotatable connector is further

occur as said elongated connector rotates relative to said ring;

provided with a configuration whereby different appearances

said ring at said first end is adapted to rotate about an ankle of a user;

said rotatable element at said second end of the elongated connector is adapted to rotate along a surface upon which the user is standing or hopping; and

the elongated and rotatable connector has a length which is substantially greater than the diameter of said ring;

wherein said elongated connector is a flattened and twisted element.

- 12. (Previously Presented) The device of claim 11, wherein said elongated connector is formed of a translucent or transparent plastic and contains one or both of a fluorescent dye and decorative flakes or particles.
- 13. (Previously Presented) The device of claim 11, wherein said elongated connector is formed of an opaque strip plastic having opposite faces having a different colors thereon.
- 14. (Previously Presented) The device of claim 11 wherein said elongated connector is formed of polycarbonate resin.
- 15. (Previously Presented) The device of claim 12 wherein said elongated connector is formed of polycarbonate resin.
- 16. (Previously Presented) The device of claim 11 wherein said elongated connector is a rod.
- 17. (Previously Presented) The device of claim 11 wherein said rotatable element at the second end of the elongated connector is a ball or a wheel.

- 18. (Previously Presented) The device of claim 11 wherein the rotatable element is connected to the rotatable connector so that the rotatable element rotates with the rotatable connector.
- 19. (New) An entertainment device comprising an elongated connector having a first end and a second end, a ring at said first end and a rotatable element at the said second end of the elongated connector,

wherein the elongated connector is rotatable relative to said ring,

said elongated and rotatable connector is further provided with a configuration whereby different appearances occur as said elongated connector rotates relative to said ring;

wherein said elongated connector is a flattened and twisted element; wherein the ring at the first end of the elongated connector is of a generally circular configuration adapted to rotate around an ankle or lower part of a leg of a user thereof; and

the rotatable element is connected to the rotatable connector so that the rotatable element rotates with the rotatable connector.

- 20. (New) The device of claim 19, wherein said elongated connector is formed of a translucent or transparent plastic and contains one or both of a fluorescent dye and decorative flakes or particles.
- 21. (New) The device of claim 19 wherein said rotatable element at the second end of the elongated connector is a ball or a wheel.
- 22. (New) The device of claim 19, wherein the elongated connector is of unitary construction.
- 23. (New) The device of claim 22, wherein the elongated connector has a spiral configuration.
- 24. (New) The device of claim 1, wherein the elongated connector has a spiral configuration.